



香港標準及檢定中心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110075

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F 13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be 75 x 75 x 50mm Hot-Dip Galvanised Cast Iron
Adaptable Junction Box.
Brand Name:



Model No.: HNA152

SAMPLE(S) RECEIVED DATE:

2001-07-23

TESTED DATE:

2001-07-26

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy
Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix
A.3.3



Anne Chuah, CFP
For Managing Director

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. in advance.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstc.com
E-mail: hkstc@hkstc.com



香 港 標 準 及 檢 定 中 心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110075


TEST RESULT(S):

Number of specimen tested : 3 pieces
Number of specimen passed : 3 pieces
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted 75 x 75 x 50mm Hot-Dip Galvanised Cast Iron Adaptable Junction Box **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taiipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com



香港標準及檢定中心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110074


APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F 13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be 100 x 100 x 50mm Hot-Dip Galvanised Cast Iron Adaptable Junction Box.
Brand Name:



Model No.: HNA153

SAMPLE(S) RECEIVED DATE:

2001-07-23

TESTED DATE:

2001-07-26

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix A.3.3


Anne Chuah, CFD
For Managing Director



Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com



香港標準及檢定中心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110074


TEST RESULT(S):

Number of specimen tested : 3 pieces
Number of specimen passed : 3 pieces
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted 100 x 100 x 50mm Hot-Dip Galvanised Cast Iron Adaptable Junction Box **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstc.com



香 港 標 準 及 檢 定 中 心

The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110073

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F 13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be 150 x 150 x 75mm Hot-Dip Galvanised Cast
Iron Adaptable Junction Box.
Brand Name:



Model No.: HNA154

SAMPLE(S) RECEIVED DATE:

2001-07-23

TESTED DATE:

2001-07-26

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1/ BS 4568: Part 2 : Heavy
Protection

METHOD(S) USED:

Ref. IEC 614-1: 1994: Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix
A.3.3


Anne Chuah, CFD
For Managing Director



Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or instruments. 6. Indemnity shall be given by the Client in respect of any and all claims for damages, compensation or otherwise, which may be made against the Hong Kong Standards and Testing Centre Ltd. by any third party.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstc.com



香 港 標 準 及 檢 定 中 心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110073


TEST RESULT(S):

Number of specimen tested : 3 pieces
Number of specimen passed : 3 pieces
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted 150 x 150 x 75mm Hot-Dip Galvanised Cast Iron Adaptable Junction Box **complied** with Clause 13.4.5 of IEC 614-1: 1994 and BS 4568: Part 2: 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com



香港標準及檢定中心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110072

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F 13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be 225 x 225 x 75mm Hot-Dip Galvanised Cast Iron Adaptable Junction Box.
Brand Name:



Model No.: HNA155

SAMPLE(S) RECEIVED DATE:

2001-07-23

TESTED DATE:


2001-07-26

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix A.3.3


Anne Chuah, CFD
For Managing Director



Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com



香港標準及檢定中心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110072


TEST RESULT(S):

Number of specimen tested : 3 pieces
Number of specimen passed : 3 pieces
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted 225 x 225 x 75mm Hot-Dip Galvanised Cast Iron Adaptable Junction Box **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com



香 港 標 準 及 檢 定 中 心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110025

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F 13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be 100 x 100 x 75mm Hot-Dip Galvanised Cast Iron Adaptable Junction Box.

Brand Name:



Model No.: HNA475

SAMPLE(S) RECEIVED DATE:

2001-07-19

TESTED DATE:


2001-07-24


INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix A.3.3


Anne Chuah, CFD
For Managing Director



Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com



香 港 標 準 及 檢 定 中 心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110025


TEST RESULT(S):

Number of specimen tested : 3 pieces
Number of specimen passed : 3 pieces
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted 100 x 100 x 75mm Hot-Dip Galvanised Cast Iron Adaptable Junction Box **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstc.com



STC Test Report

Date : 2008-03-03

No. : HC206029

Page 1 of 2

Applicant(Code:MAF003) : Many Folk Enterprises Ltd
Flat F 13/F Golden Plaza
745-747 Nathan Rd Kln

Description of Sample(s) : One submitted sample said to be 150x150mm Surface type adaptable box cover (steel plate hot-dipped galvanized).
Mode no.: COT-HNC274
Country of Origin : China

Date Samples Received : 2008-02-26

Date Tested : 2008-03-01 to 2008-03-03

Investigation Requested : Resistance to corrosion – Heavy Protection

Method(s) Used : Ref. IEC 60614-1: 1994 Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix A.3.3

Conclusion(s) : The submitted sample complied with Clause 13.4.5 of IEC 60614-1: 1994 and BS 4568: Part 2: 1970 for heavy protection.



LAU Yuk Kuen, Joey
Chemical and Food Department
For and on behalf of
The Hong Kong Standards and Testing Centre Ltd.

The Hong Kong Standards and Testing Centre Ltd.

10 Dal Wang Street, Tai Po Industrial Estate, N. T., Hong Kong
Tel: (852) 2666 1888 Fax: (852) 2664 4353 E-mail: hkstc@hkstc.org Homepage: www.hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report

Date : 2008-03-03
No. : HC206029


Page 2 of 2

Test Result(s):

Resistance to corrosion – Heavy Protection
Ref. BS4568 : Part 2 : 1970 : Appendix A.3.3

Test Details	150x150mm Surface type adaptable box cover (steel plate hot-dipped galvanized)
No. of Specimen tested	3 pieces
No. of Specimen passed	3 pieces
No. of Specimen failed	0 piece

Photo(s):



***** End of Test Report *****

The Hong Kong Standards and Testing Centre Ltd.

10 Dal Wang Street, Taiipo Industrial Estate, N. T., Hong Kong
Tel: (852) 2666 1888 Fax: (852) 2864 4353 E-mail: hkstc@hkstc.org Homepage: www.hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Ltd.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.